

ARE THERE VACCINATION CONTRAINDICATIONS?



ABSOLUTE CONTRAINDICATIONS

- history of anaphylactic reactions to the same vaccine or vaccine components
- history of hypersensitivity to any vaccine or to any of the excipients, including neomycin
- severe humoral or cellular immunodeficiency (CD4+ T lymphocytes less than 200 / mm³)



TEMPORARY CONTRAINDICATIONS

- pregnancy
- febrile conditions (> 38.5 ° C)
- untreated active tuberculosis
- post bone marrow transplant (up to 24 months)
- post organ transplant (up to 4 weeks)
- transient immunodeficiency (CD4 lymphocytes less than 200 / mm³)
- current immunosuppressive therapy (including high doses of corticosteroids)



FALSE CONTRAINDICATIONS

- acute non-febrile conditions
- atopy (rhinitis, conjunctivitis, asthma, atopic dermatitis)
- surgical or dental interventions,
- routine investigations for other conditions
- diarrhea with fever
- egg allergy
- neurological diseases, etc.



Co-funded by the Erasmus+ Programme of the European Union

This product has been created in the framework of the IENE 11- PROVAC project. It reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein. Please, visit www.iene11.eu



Pro Vac
Promoting Vaccination
IENE 11